ELSEVIER

Journal of Materials Processing Technology 133 (2003) 398

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 133

Adamczyk, Z., 7
Adamiak, M., 50
Al-Jarrah, M., 266
Al-Wedyan, H., 266
Arrieux, R., 79

Balendran, V., 26
Balic, J., 13
Balič, J., 71, 128
Bao, L., 287
Barbacki, A., 21
Bardell, R., 26
Bartsch, M., 218
Baszun, M., 34
Bednarczyk, J., 340
Bláhová, O., 189

Chappuis, C., 79
Cho, C., 311
Chow, C.L., 304
Courvoisier, L., 359
Čuš, F., 158
Cus, F., 214
Cwajna, J., 39
Czyrska-Filemonowicz, A., 218

da Costa, C.E., 203
David, E., 44
Dobrzański, L.A., 1, 3, 5, 50
Dolinšek, S., 63
Domzalicki, P., 230
Drstvenšek, I., 71
Dumoulin, S., 79
Dweiri, F., 266

Ferron, G., 359
Filip, R., 84

Gafur, M.A., 257
Gagov, V., 199
Gentle, C.R., 181
Gibas, T., 118
Giorleo, L., 353
Gnanam, F.D., 282
Grabowik, C., 90
Gronostajski, J., 99
Gronostajski, Z., 99
Grzęda, D., 34
Guo, D.M., 371
Gupta, N.K., 243
Gupta, P.K., 243

Ha, M.Y., 322
Haga, T., 103
Hamrol, A., 21
Herzog, R., 218
Hu, W., 108
Hull, J.B., 122, 181

Jaworska, L., 118
Jeffries, M., 122
Jończyk, D., 7

Kampuš, Z., 128
Kawalec, M., 21
Knosala, R., 90
Koç, M., 276
Kociołek, K., 7
Kopač, J., 134
Kridli, G.T., 287
Królicka, B., 118
Kubiak, K., 84
Kuzman, K., 166
Kvackaj, T., 236
Kwahk, S.-Y., 311

Lai, E., 122
Lee, H.G., 322
Lenkey, Gy.B., 143
Leung, A.Y.T., 108
Lévay, I., 143
Li, E.B., 348

Mackerle, J., 378
Major, Z., 143
Malec, M., 225
Mallick, P.K., 287
Margarido, M., 149
Martiny, M., 359
Meola, C., 353
Messerschmidt, U., 218
Minev, R., 199
Muršec, B., 158

Narayan Prabhu, K., 257
Nasrul Haque, M., 257
Nastran, M., 166
Nele, L., 353
Nishiyama, T., 103
Nowacki, J., 174

Pahole, I., 13

Radev, R., 199
Rajchel, B., 118
Richter, J., 39
Ridgway, J.S., 181
Robert, M.H., 149

Šali, S., 134
Sathiyakumar, M., 282
Savas, M.A., 297
Sekhon, G.S., 243
Seong, S.H., 322
Shi, J., 297
Si, H.-M., 311
Sieniawski, J., 84
Šimůnková, S., 189
Sivayoganathan, K., 26
Smith, R.W., 297
Smuk, B., 195
Sricharoenchai, P., 236
Sripinproach, D., 236
Stanciu, V., 44
Starr, A.G., 108
Stefanescu, D., 44
Štěpánek, I., 189
Suban, M., 207
Suzuki, S., 103
Świder, P., 174
Szala, J., 39
Szutkowska, M., 195

Tabourot, L., 79
Tian, Y., 287
Tieu, A.K., 348
Tomov, B., 199
Torralba, J.M., 203
Tóth, L., 143
Tušek, J., 207

Vacher, P., 79
Velasco, F., 203
Vrecer, G., 214

Walter, J., 195
Wang, J., 371
Wasilkowska, A., 218
Wiedermann, J., 225
Wyczesany, A., 118

Yang, X.J., 304
Yuen, W.Y.D., 348

Zalecki, W., 225
Ziaja, W., 84
Zielinski, A., 230
Zrnik, J., 236

Elsevier Science B.V.
PII: S0924-0136(03)00007-4

ELSEVIER

Journal of Materials Processing Technology 133 (2003) 399–404

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 133

Abrasive waterjet cutting
The cutting performance in multipass abrasive waterjet machining of industrial ceramics, 371
Accuracy
Some comments on cold forming process stability analysis, 166
Acoustic properties
Wood: an important material in manufacturing technology, 134
Adhesion
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
Adhesive behavior
Mechanical properties of thin film–substrate systems, 189
AL2008-T4
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Alumic-79
Fuzzy surface roughness modeling of CNC down milling of Alumic-79, 266
Alumina
A PRIME approach for the moulding of conduit ceramic parts, 181
Influence of additives on density, microstructure and mechanical properties of alumina, 282
Aluminium alloys
Influence of thermomechanical treatments on the production of rheocast slurries by partial melting, 149
Aluminum
P/M aluminum matrix composites: an overview, 203
Analytical model
Analytical modelling of drawbeads in sheet metal forming, 359
ANFIS
Fuzzy surface roughness modeling of CNC down milling of Alumic-79, 266
Anisotropic kinematic hardening
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Austenite conditioning
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Austenitic stainless steels
Work-hardening in the drilling of austenitic stainless steels, 63
Axisymmetric deformation
An analysis of external inversion of round tubes, 243

Bibliography
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Binder
A PRIME approach for the moulding of conduit ceramic parts, 181

CAD
Accuracy analysis of 3D data collection and free-form modelling methods, 26
CAD/CAM
A new approach to a CAD/CAM system as a part of distributed environment: Intranet database, 7
CAGD
Accuracy analysis of 3D data collection and free-form modelling methods, 26
CAPP
The method of knowledge representation for a CAPP system, 90
Carbide particles
Economical non-ledeburitic tool alloys—alloying philosophy, structure and properties, 39
Carbon molecular sieves
Composites obtained from carbon molecular sieves and copper oxide, 44
Casting process
A hybrid method for casting process simulation by combining FDM and FEM with an efficient data conversion algorithm, 311
Casting/chill interface
Effect of chill thickness and superheat on casting/chill interfacial heat transfer during solidification of commercially pure aluminium, 257
Cathodic protection
Hydrogen degradation of high-strength low-alloyed steels, 230
Centrifugal compressor impeller
Producibility of brazed high-dimension centrifugal compressor impellers, 174
Ceramic processing
A PRIME approach for the moulding of conduit ceramic parts, 181
Ceramic tool material
Alumina ceramics with partially stabilized zirconia for cutting tools, 195
Chill thickness
Effect of chill thickness and superheat on casting/chill interfacial heat transfer during solidification of commercially pure aluminium, 257
CIM
Responding ability in dynamic production circumstances, 71
Planning of tool supply to a group of machines, 214
CMM
Accuracy analysis of 3D data collection and free-form modelling methods, 26
CNC
Fuzzy surface roughness modeling of CNC down milling of Alumic-79, 266
Cold and hot isostatic pressing
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Cold flat forging
Some comments on cold forming process stability analysis, 166
Cold rolling
Forward slip measurements in cold rolling by laser Doppler velocimetry: uncertainty analysis and accuracy improvement, 348

Elsevier Science B.V.
PII: S0924-0136(03)00008-6

Colloidal processing
Influence of additives on density, microstructure and mechanical properties of alumina, 282
Compaction
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Component architecture
A new approach to a CAD/CAM system as a part of distributed environment: Intranet database, 7
Composites
Composites obtained from carbon molecular sieves and copper oxide, 44
Compression
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Constitutive modeling
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Continuity
Accuracy analysis of 3D data collection and free-form modelling methods, 26
Continuous casting
Strip casting of A5182 alloy using a melt drag twin-roll caster, 103
Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake, 322
Controlled rolling
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Copper
Composites obtained from carbon molecular sieves and copper oxide, 44
Corner filling
Investigation of thickness variation and corner filling in tube hydroforming, 287
Creep
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Criterion
Sintering criterion in metal working processes, 99
Cross-linking
Technological characterisation of thermoshrinking cross-linked polyethylene by destructive and non-destructive techniques, 353
Cutting conditions
Integral model of selection of optimal cutting conditions from different databases of tool makers, 158
Cutting performance
The cutting performance in multipass abrasive waterjet machining of industrial ceramics, 371
Cutting tool flows
Planning of tool supply to a group of machines, 214
Cyanoacrylate
A PRIME approach for the moulding of conduit ceramic parts, 181

Data flow matrix
Optimisation of intelligent FMS using the data flow matrix method, 13
Database
Integral model of selection of optimal cutting conditions from different databases of tool makers, 158
Deep drawing
Deep drawing of tailored blanks without a blankholder, 128
Deposition rate
High-productivity multiple-wire submerged-arc welding and cladding with metal-powder addition, 207
Diamond compacts
Study on interactions in diamond–ceramic material systems, 118
Down milling
Fuzzy surface roughness modeling of CNC down milling of Alumic-79, 266
Drawbeads
Analytical modelling of drawbeads in sheet metal forming, 359
Drilling
Work-hardening in the drilling of austenitic stainless steels, 63

Economical
Economical non-ledeburitic tool alloys—alloying philosophy, structure and properties, 39
Electromagnetic brake
Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake, 322
Electromagnetic field
Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake, 322
Engine components
Influence of additives on density, microstructure and mechanical properties of alumina, 282
Erosion wear
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
Experiments
Deep drawing of tailored blanks without a blankholder, 128
Expert systems
The method of knowledge representation for a CAPP system, 90
Extensometer
Determination of the equivalent stress–equivalent strain relationship of a copper sample under tensile loading, 79
External inversion
An analysis of external inversion of round tubes, 243

Fault diagnosis
Operational fault diagnosis of manufacturing systems, 108
Fault tree analysis
Operational fault diagnosis of manufacturing systems, 108
FEA
Investigation of the effect of loading path and variation in material properties on robustness of the tube hydroforming process, 276
FEM
Deep drawing of tailored blanks without a blankholder, 128
Ferrite grain size
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Ferritic steels
The influence of nitrogen on the structure and properties of Fe–10Cr–N and Fe–10Cr–1Mo–N steels after tempering in the temperature range of 650–750 °C, 225
Finite difference method
A hybrid method for casting process simulation by combining FDM and FEM with an efficient data conversion algorithm, 311
Finite element method
A hybrid method for casting process simulation by combining FDM and FEM with an efficient data conversion algorithm, 311
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Finite element modeling
Investigation of thickness variation and corner filling in tube hydroforming, 287

Finite element simulation
About input data selection for the FEM analysis of bulk forming, 199
Finite elements
Determination of the equivalent stress–equivalent strain relationship of a copper sample under tensile loading, 79
FLD
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Flexible manufacturing systems
Optimisation of intelligent FMS using the data flow matrix method, 13
Flexible production
Planning of tool supply to a group of machines, 214
Flow stress
About input data selection for the FEM analysis of bulk forming, 199
FMS
Planning of tool supply to a group of machines, 214
FORGE2
An analysis of external inversion of round tubes, 243
Forward slip
Forward slip measurements in cold rolling by laser Doppler velocimetry: uncertainty analysis and accuracy improvement, 348
Fracture toughness
The effect of microstructure on the mechanical properties of two-phase titanium alloys, 84
The effect of the testing conditions on the fracture mechanics characteristics of short glass fibre reinforced polyamide, 143
Free-form surface
Accuracy analysis of 3D data collection and free-form modelling methods, 26
Friction factor
About input data selection for the FEM analysis of bulk forming, 199
Fuzzy
Fuzzy surface roughness modeling of CNC down milling of Alumic-79, 266
Fuzzy Logic
A new approach to process control for a bottling plant, 122

Genetic algorithm
Responding ability in dynamic production circumstances, 71
Grinding
Turning and grinding as a source of microstructural changes in the surface layer of hardened steel, 21

Hard turning
Turning and grinding as a source of microstructural changes in the surface layer of hardened steel, 21
Heterogeneity
Determination of the equivalent stress–equivalent strain relationship of a copper sample under tensile loading, 79
High pressure sintering
Study on interactions in diamond–ceramic material systems, 118
High-speed casting
Strip casting of A5182 alloy using a melt drag twin-roll caster, 103
High-speed steel
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
HVTEM
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Hybrid method
A hybrid method for casting process simulation by combining FDM and FEM with an efficient data conversion algorithm, 311
Hydrogen
Hydrogen degradation of high-strength low-alloyed steels, 230

Image analysis
Determination of the equivalent stress–equivalent strain relationship of a copper sample under tensile loading, 79
In situ straining
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Incoloy MA956
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Inductors
Distributions of forces in the inductors used in metal processing in the pulse magnetic field, 340
Input data selection
About input data selection for the FEM analysis of bulk forming, 199
Instrumented impact test
The effect of the testing conditions on the fracture mechanics characteristics of short glass fibre reinforced polyamide, 143
Interfaces
Study on interactions in diamond–ceramic material systems, 118
Internal stresses
Turning and grinding as a source of microstructural changes in the surface layer of hardened steel, 21
Inverse analysis
Effect of chill thickness and superheat on casting/chill interfacial heat transfer during solidification of commercially pure aluminium, 257

Kalman Filter
A new approach to process control for a bottling plant, 122

Large deformation
An analysis of external inversion of round tubes, 243
Laser Doppler velocimetry
Forward slip measurements in cold rolling by laser Doppler velocimetry: uncertainty analysis and accuracy improvement, 348
Liquid level control
A new approach to process control for a bottling plant, 122
Liquid-phase sintering
Influence of additives on density, microstructure and mechanical properties of alumina, 282
Loading path
Investigation of the effect of loading path and variation in material properties on robustness of the tube hydroforming process, 276
Lock-in thermography
Technological characterisation of thermoshrinking cross-linked polyethylene by destructive and non-destructive techniques, 353
Low-alloyed steels
Hydrogen degradation of high-strength low-alloyed steels, 230

Manufacturing system
Operational fault diagnosis of manufacturing systems, 108
Material properties
Some comments on cold forming process stability analysis, 166
Investigation of the effect of loading path and variation in material properties on robustness of the tube hydroforming process, 276
Mechanical properties
The influence of nitrogen on the structure and properties of Fe–10Cr–N and Fe–10Cr–1Mo–N steels after tempering in the temperature range of 650–750 °C, 225
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Melt drag twin-roll caster
Strip casting of A5182 alloy using a melt drag twin-roll caster, 103

Melting efficiency
High-productivity multiple-wire submerged-arc welding and cladding with metal-powder addition, 207
Mesohardness
Turning and grinding as a source of microstructural changes in the surface layer of hardened steel, 21
Metal matrix composites (MMCs)
P/M aluminum matrix composites: an overview, 203
Metal powder
High-productivity multiple-wire submerged-arc welding and cladding with metal-powder addition, 207
Metal sheet
Analytical modelling of drawbeads in sheet metal forming, 359
Microalloyed steel
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Microhardness
Mechanical properties of thin film–substrate systems, 189
Microstructure
Turning and grinding as a source of microstructural changes in the surface layer of hardened steel, 21
The effect of microstructure on the mechanical properties of two-phase titanium alloys, 84
Influence of additives on density, microstructure and mechanical properties of alumina, 282
Milling
Wood: an important material in manufacturing technology, 134
Multipass waterjet cutting
The cutting performance in multipass abrasive waterjet machining of industrial ceramics, 371
Multiple wire
High-productivity multiple-wire submerged-arc welding and cladding with metal-powder addition, 207

Nanoindentor
Mechanical properties of thin film–substrate systems, 189
Nitrogen
The influence of nitrogen on the structure and properties of Fe–10Cr–N and Fe–10Cr–1Mo–N steels after tempering in the temperature range of 650–750 °C, 225
Non-diamond–diamond systems
Study on interactions in diamond–ceramic material systems, 118
Non-ledeburitic tool alloys
Economical non-ledeburitic tool alloys—alloying philosophy, structure and properties, 39
Nonproportional loading
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Numerical simulation
A hybrid method for casting process simulation by combining FDM and FEM with an efficient data conversion algorithm, 311
Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake, 322

Object knowledge representation
The method of knowledge representation for a CAPP system, 90
ODS alloys
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Optimisation
Optimisation of intelligent FMS using the data flow matrix method, 13
Responding ability in dynamic production circumstances, 71
Optimization
Integral model of selection of optimal cutting conditions from different databases of tool makers, 158

Planing
Wood: an important material in manufacturing technology, 134
Plastic deformation modeling
Plastic deformation of a model material containing soft spheroidal inclusions: spheroidal graphite cast iron, 297
PLC
Operational fault diagnosis of manufacturing systems, 108
PM2000
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Polyethylene
Technological characterisation of thermoshrinking cross-linked polyethylene by destructive and non-destructive techniques, 353
Powder forging
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Powder injection molding
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Powder metallurgy
P/M aluminum matrix composites: an overview, 203
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
Powder moulding
A PRIME approach for the moulding of conduit ceramic parts, 181
Precipitation
The influence of nitrogen on the structure and properties of Fe–10Cr–N and Fe–10Cr–1Mo–N steels after tempering in the temperature range of 650–750 °C, 225
Processing in the pulse magnetic field
Distributions of forces in the inductors used in metal processing in the pulse magnetic field, 340
Properties
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
PVD
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50

Quality assessment
Accuracy analysis of 3D data collection and free-form modelling methods, 26
Quick-stop
Work-hardening in the drilling of austenitic stainless steels, 63

RE
Accuracy analysis of 3D data collection and free-form modelling methods, 26
Recrystallization
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Relaxation
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Rheocasting
Influence of thermomechanical treatments on the production of rheocast slurries by partial melting, 149

Sanding
Wood: an important material in manufacturing technology, 134

Scratch test
Mechanical properties of thin film–substrate systems, 189
Semi-solid alloys
Influence of thermomechanical treatments on the production of rheocast slurries by partial melting, 149
SFLD
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Shielding flux
High-productivity multiple-wire submerged-arc welding and cladding with metal-powder addition, 207
Sintering
Sintering criterion in metal working processes, 99
Finite element analysis and simulation of powder materials, metallurgical processes and products. A bibliography (1985–2000), 378
SMEs
A new approach to a CAD/CAM system as a part of distributed environment: Intranet database, 7
Soft inclusions
Plastic deformation of a model material containing soft spheroidal inclusions: spheroidal graphite cast iron, 297
Solidification
Effect of chill thickness and superheat on casting/chill interfacial heat transfer during solidification of commercially pure aluminium, 257
Solidification pattern
Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake, 322
Solutioning
Influence of plastic deformation conditions on structure evolution in Nb–Ti microalloyed steel, 236
Speed slip
Forward slip measurements in cold rolling by laser Doppler velocimetry: uncertainty analysis and accuracy improvement, 348
Spheroidal graphite cast iron
Plastic deformation of a model material containing soft spheroidal inclusions: spheroidal graphite cast iron, 297
SSBW
Applications of shear horizontal surface acoustic waves to thin film evaluation, 34
Strain paths
Prediction of forming limit diagram with mixed anisotropic kinematic–isotropic hardening plastic constitutive model based on stress criteria, 304
Strains
Determination of the equivalent stress–equivalent strain relationship of a copper sample under tensile loading, 79
Strength
Influence of additives on density, microstructure and mechanical properties of alumina, 282
Strip casting
Strip casting of A5182 alloy using a melt drag twin-roll caster, 103
Structure
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
Structure and properties of the brazed joints
Producibility of brazed high-dimension centrifugal compressor impellers, 174
Submerged-arc welding
High-productivity multiple-wire submerged-arc welding and cladding with metal-powder addition, 207
Superheat
Effect of chill thickness and superheat on casting/chill interfacial heat transfer during solidification of commercially pure aluminium, 257
Surface acoustic wave
Applications of shear horizontal surface acoustic waves to thin film evaluation, 34
Surface layer
Turning and grinding as a source of microstructural changes in the surface layer of hardened steel, 21
Surface roughness
Fuzzy surface roughness modeling of CNC down milling of Alumic-79, 266

Tailored blanks
Deep drawing of tailored blanks without a blankholder, 128
Technological database
Responding ability in dynamic production circumstances, 71
TEM
Creep mechanisms of ferritic oxide dispersion strengthened alloys, 218
Tempering
The influence of nitrogen on the structure and properties of Fe–10Cr–N and Fe–10Cr–1Mo–N steels after tempering in the temperature range of 650–750 °C, 225
Tensile loading
Determination of the equivalent stress–equivalent strain relationship of a copper sample under tensile loading, 79
Tensile properties
The effect of microstructure on the mechanical properties of two-phase titanium alloys, 84
Thermodynamic analyses
Study on interactions in diamond–ceramic material systems, 118
Thermomechanical treatments
Influence of thermomechanical treatments on the production of rheocast slurries by partial melting, 149
Thermoshrinking cable insulation
Technological characterisation of thermoshrinking cross-linked polyethylene by destructive and non-destructive techniques, 353
Thickness distribution
Investigation of thickness variation and corner filling in tube hydroforming, 287
Thin film
Mechanical properties of thin film–substrate systems, 189
Three-dimensional turbulent flow
Numerical simulation of three-dimensional flow, heat transfer, and solidification of steel in continuous casting mold with electromagnetic brake, 322
Ti(C,N)
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
TiN
Structure and properties of the TiN and Ti(C,N) coatings deposited in the PVD process on high-speed steels, 50
Tolerance field
Some comments on cold forming process stability analysis, 166
Tool management
Planning of tool supply to a group of machines, 214
Transformation strengthening
Alumina ceramics with partially stabilized zirconia for cutting tools, 195
Tube hydroforming
Investigation of the effect of loading path and variation in material properties on robustness of the tube hydroforming process, 276
Investigation of thickness variation and corner filling in tube hydroforming, 287
Turning
Integral model of selection of optimal cutting conditions from different databases of tool makers, 158
Twin-roll caster
Strip casting of A5182 alloy using a melt drag twin-roll caster, 103

Two-phase titanium alloys
The effect of microstructure on the mechanical properties of two-phase titanium alloys, 84

Ultrasound
A new approach to process control for a bottling plant, 122

Vacuum brazing
Producibility of brazed high-dimension centrifugal compressor impellers, 174
Viscosity sensors
Applications of shear horizontal surface acoustic waves to thin film evaluation, 34

Wire straightening
Some comments on cold forming process stability analysis, 166
Wood
Wood: an important material in manufacturing technology, 134
Wood cutting
Wood: an important material in manufacturing technology, 134
Work-hardening
Work-hardening in the drilling of austenitic stainless steels, 63
Working processes
Sintering criterion in metal working processes, 99
www applications
A new approach to a CAD/CAM system as a part of distributed environment: Intranet database, 7

Zirconia partially stabilized with yttria
Alumina ceramics with partially stabilized zirconia for cutting tools, 195
$ZrO_2^{(m)}$ monoclinic form
Alumina ceramics with partially stabilized zirconia for cutting tools, 195
$ZrO_2^{(t)}$ tetragonal form
Alumina ceramics with partially stabilized zirconia for cutting tools, 195